

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 16/09/2008 Revision date: 17/11/2023 Supersedes version of: 05/07/2023 Version: 7.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form

Trade name Product group : Mixture

- : ORLEN OIL HIPOL ATF II D
- : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Use of the substance/mixture : Professional use,Consumer use : gear oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ORLEN OIL Sp. z o.o. ul. Elbląska 135 80-718 Gdańsk T +48 12 66 555 00 / +48 12 66 555 01 <u>centrala@orlenoil.pl</u> E-mail address of competent person responsible for the SDS : <u>msds@orlenoil.pl</u>

1.4. Emergency telephone number

Emergency number

: Emergency contact + 48 242010367, +48 242869509, +48242869556 (7:00-15:00) Emergency number 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412 Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal w ord (CLP)	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to properly labelled w aste containers according to the national law.
EUH-statements	: EUH208 - Contains 1-(tert-dodecylthio)propan-2-ol (67124-09-8). May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier %		Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Distillates (petroleum), hydrotreated light naphthenic; Baseoil— unspecified (Note L)	CAS-No.: 64742-53-6 EC-No.: 265-156-6 EC Index-No.: 649-466-00-2	2.18 – 5.45	Asp. Tox. 1, H304		
1-(tert-dodecylthio)propan-2-ol	CAS-No.: 67124-09-8 EC-No.: 266-582-5	0.273 – 0.545	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	EC-No.: 620-540-6	0.027 – 0.109	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyw eight) Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410		
toluene	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	0.011 – 0.109	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412		

Note L: The harmonised classification as a carcinogen applies unless it can be show n that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in w hich case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin w ith plenty of w ater. First-aid measures after eye contact : Rinse eyes w ith water as a precaution. First-aid measures after ingestion : Call a poison center or a doctor if you feel unw ell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

: Dry chemical, CO2, or water spray or regular foam.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Unsuitable extinguishing media	: Strong w ater jet.				
5.2. Special hazards arising from the subst	tance or mixture				
Hazardous decomposition products in case of fire : Toxic fumes may be released.					
5.3. Advice for firefighters					
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self -contained breathing apparatus. Complete protective clothing.				

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures				
6.1.1. For non-emergency personne	I			
Emergency procedures	: Ventilate spillage area.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".			
6.2. Environmental precautions				
Avoid release to the environment.				

6.3. Methods and material for containment and cleaning up Methods for cleaning up : Take up liquid spill into absorbent material. Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the w ork station. Wear personal protective equipment. Do not eat, drink or smoke w hen using this product. Always wash hands after handling th product.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Storage conditions	: Store in a w ell-ventilated place. Keep cool.
Storage temperature	: ≥ -20 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; (64742-54-7)				
DNEL/DM EL (Workers)				
Long-term - local effects, inhalation	5.4 mg/m³ 8 hours			
DNEL/DM EL (General population)				
Long-term - local effects, inhalation1.2 mg/m³ 24 hours				
PNEC (Oral)				
PNEC oral (secondary poisoning) 9.33 mg/kg food mammalian				

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection: In case of insufficient ventilation, w ear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: red.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: ≈-45 °C Pour point

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Roiling point	: Not available
Boiling point	
Flammability	: Non flammable.
Low er explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: >160 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: 8 mm²/s 100°C
Solubility	: Not available
Partition coefficient n-octanol/water(Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.874 g/cm³ 15°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
1-(tert-dodecylthio)propan-2-ol	(67124-09-8)
LD50 oral rat	> 5000 mg/kg bodyw eight Animal: rat, Guideline: other:
LD50 dermal rabbit	> 2000 mg/kg bodyw eight Animal: rabbit, Guideline: OECD Guideline 434 (Acute Dermal Toxicity - Fixed Dose Procedure)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified toluene (108-88-3) STOT-single exposure : May cause drow siness or dizziness. STOT-single exposure : Not classified 1-(tert-dodecythio)propan-2-ol (67124-09-8) NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D Viscosity, kinematic : 8 mm²/s 100°C							
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified toluene (108-88-3) . STOT-single exposure : Not classified toluene (108-88-3) . STOT-single exposure : Not classified toluene (108-88-3) . STOT-repeated exposure : Not classified toluene (108-88-3) . NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) . STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard . ORLEN OIL HIPOL ATF II D . Viscosity, kinematic 8 mm²/s 100°C	Skin corrosion/irritation	: Not classified					
Gern cell mutagenicity:Not classifiedCarcinogenicity:Not classifiedReproductive toxicity:Not classifiedSTOT-single exposure:Not classifiedtoluene (108-88-3)STOT-single exposureMay cause drow siness or dizziness.STOT-repeated exposuretol classified1-(tert-dodecylthio)propan-2-ol (67124-09-8)NOAEL (oral, rat, 90 days)167 mg/kg bodyw eight Animal: rat, Guideline: other:toluene (108-88-3)STOT-repeated exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazard:Not classified (Kinematic viscosity at 40°C>20.5 mm2/s)ORLEN OIL HIPOL ATF II DViscosity, kinematic8 mm²/s 100°C	Serious eye damage/irritation	: Not classified					
Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified toluene (108-88-3) : May cause drow siness or dizziness. STOT-single exposure : May cause drow siness or dizziness. STOT-repeated exposure : Not classified 1-(tert-dodecythtio)propan-2-ol (67124-09-8) : Not classified NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) STOT-repeated exposure : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D : 8 mm7/s 100°C	Respiratory or skin sensitisation	: Not classified					
Reproductive toxicity : Not classified STOT-single exposure : Not classified toluene (108-88-3) May cause drow siness or dizziness. STOT-single exposure : May cause drow siness or dizziness. STOT-repeated exposure : Not classified 1-(tert-dodecylthio)propan-2-ol (67124-09-8) . NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) . STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C >20.5 mm2/s) ORLEN OIL HIPOL ATF II D . Viscosity, kinematic 8 mm²/s 100°C	Germ cell mutagenicity	: Not classified					
STOT-single exposure : Not classified toluene (108-88-3) May cause drow siness or dizziness. STOT-repeated exposure : Not classified 1-(tert-dodecylthio)propan-2-ol (67124-09-8) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) STOT-repeated exposure STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D Viscosity, kinematic	Carcinogenicity	: Not classified					
toluene (108-88-3) STOT-single exposure May cause drow siness or dizziness. STOT-repeated exposure : Not classified 1-(tert-dodecylthio)propan-2-ol (67124-09-8) NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D Viscosity, kinematic Viscosity, kinematic 8 mm²/s 100°C	Reproductive toxicity	: Not classified					
STOT-single exposure May cause drow siness or dizziness. STOT-repeated exposure Not classified 1-(tert-dodecylthio)propan-2-ol (67124-09-8) NOAEL (oral, rat, 90 days) NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) STOT-repeated exposure STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D 8 mm²/s 100°C	STOT-single exposure	: Not classified					
STOT-repeated exposure : Not classified 1-(tert-dodecylthio)propan-2-ol (67124-09-8)	toluene (108-88-3)						
1-(tert-dodecylthio)propan-2-ol (67124-09-8) NOA EL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D 8 mm²/s 100°C	STOT-single exposure	May cause drow siness or dizziness.					
NOAEL (oral, rat, 90 days) 167 mg/kg bodyw eight Animal: rat, Guideline: other: toluene (108-88-3) STOT-repeated exposure STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D 8 mm²/s 100°C	DT-repeated exposure : Not classified						
toluene (108-88-3) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C > 20.5 mm2/s) ORLEN OIL HIPOL ATF II D Viscosity, kinematic Viscosity, kinematic 8 mm²/s 100°C	1-(tert-dodecylthio)propan-2-ol (671	24-09-8)					
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D Viscosity, kinematic Viscosity, kinematic 8 mm²/s 100°C	NOAEL (oral, rat, 90 days)	167 mg/kg bodyw eight Animal: rat, Guideline: other:					
Aspiration hazard : Not classified (Kinematic viscosity at 40°C>20.5 mm2/s) ORLEN OIL HIPOL ATF II D Viscosity, kinematic 8 mm²/s 100°C	toluene (108-88-3)						
ORLEN OIL HIPOL ATF II D Viscosity, kinematic 8 mm²/s 100°C	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.					
Viscosity, kinematic 8 mm²/s 100°C	Aspiration hazard	: Not classified (Kinematic viscosity at 40°C>20.5 mm2/s)					
	ORLEN OIL HIPOL ATF II D						
11.2. Information on other hazards	Viscosity, kinematic	8 mm²/s 100°C					
	11.2. Information on other hazards						

No additional information available

SECTION 12: Ecological information					
12.1. Toxicity					
Ecology - general : Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, short-term : Not classified (acute) : Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects. (chronic) : Harmful to aquatic life with long lasting effects. Not rapidly degradable : Harmful to aquatic life with long lasting effects.					
Distillates (petroleum), hydrotreated light nap	hthenic; Baseoil— unspecified (64742-53-6)				
EC50 - Crustacea [1] 10000 mg/l					
EC50 72h - Algae [1] > 100 mg/l					
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol					
LC50 - Fish [1] 0.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)					
EC50 - Crustacea [1] 0.043 mg/l Test organisms (species): Daphnia magna					
12.2. Persistence and degradability					
No additional information available					
12.3. Bioaccumulative potential					
No additional information available					
12.4. Mobility in soil					
No additional information available					
12.5. Results of PBT and vPvB assessment					
No additional information available					

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information In accordance with ADR / IMDG / IATA / ADN / RID ADN IATA ADR IMDG RID 14.1. UN number or ID number Not applicable Not applicable Not applicable Not applicable Not applicable 14.2. UN proper shipping name Not applicable Not applicable Not applicable Not applicable Not applicable 14.3. Transport hazard class(es) Not applicable Not applicable Not applicable Not applicable Not applicable 14.4. Packing group Not applicable Not applicable Not applicable Not applicable Not applicable 14.5. Environmental hazards Not applicable Not applicable Not applicable Not applicable Not applicable No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterwaytransport Not applicable

Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List(SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone lay er)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes version of	Modified	
1.1	Name	Modified	
1.1	Trade name	Modified	
5.1	Suitable extinguishing media	Modified	

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Low est Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sew age treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherw ise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
EUH208	Contains 1-(tert-dodecylthio)propan-2-ol (67124-09-8). May produce an allergic reaction.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if sw allowed.	
H304	May be fatal if sw allowed and enters airways.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drow siness or dizziness.	
H361d	Suspected of damaging the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Aquatic Chronic 3	H412	Calculation method		
The classification complies with : ATP 12				

Safety Data Sheet (SDS), EU

This information is based on our current know ledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.