



ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 20/11/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : ORLEN OIL GEAR DCT HYBRID
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use
Use of the substance/mixture : gear oil

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ORLEN OIL Sp. z o.o.
ul. Elbląska 135
80-718 Gdańsk
T +48 12 66 555 00 / +48 12 66 555 01
centrala@orlenoil.pl
E-mail address of competent person responsible for the SDS : msds@orlenoil.pl

1.4. Emergency telephone number

Emergency number : Emergency contact + 48 242010367, +48 242869509, +48242869556 (7:00-15:00)
Emergency number 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412
Category 3
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container to properly labelled waste containers according to the national law.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified; (Note L)	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-2119474889-13	82.7	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified (Note L)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3	1.253 – 1.959	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil— unspecified (Note L)	CAS-No.: 72623-86-0 EC-No.: 276-737-9 EC Index-No.: 649-482-00-X	0.768 – 1.28	Asp. Tox. 1, H304
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	EC-No.: 620-540-6	0.128 – 0.384	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	EC-No.: 939-485-7 REACH-no: 01-2119974116-35	0.013 – 0.038	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
(Z)-N-9-octadecenyl-1,3-diaminopropane	CAS-No.: 7173-62-8 EC-No.: 230-528-9	≤ 0.013	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
Dimantine	CAS-No.: 124-28-7 EC-No.: 204-694-8 REACH-no: 01-2119486676-20	≤ 0.013	Acute Tox. 4 (Oral), H302 (ATE=1230 mg/kg bodyweight) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of H- and EUH-statements: see section 16

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical, CO ₂ , or water spray or regular foam.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area.
----------------------	----------------------------

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.
Storage temperature : -20 – 40 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil— unspecified; (64742-54-7)

DNEL/DMEL (Workers)

Long-term - local effects, inhalation	5.4 mg/m ³ 8 hours
---------------------------------------	-------------------------------

DNEL/DMEL (General population)

Long-term - local effects, inhalation	1.2 mg/m ³ 24 hours
---------------------------------------	--------------------------------

PNEC (Oral)

PNEC oral (secondary poisoning)	9.33 mg/kg food mammalian
---------------------------------	---------------------------

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	0.3 mg/kg bodyweight/day
--------------------------------------	--------------------------

Long-term - systemic effects, inhalation	2112 mg/m ³
--	------------------------

DNEL/DMEL (General population)

Long-term - systemic effects, oral	0.214 mg/kg bodyweight/day
------------------------------------	----------------------------

Long-term - systemic effects, inhalation	0.745 mg/m ³
--	-------------------------

Long-term - systemic effects, dermal	0.214 mg/kg bodyweight/day
--------------------------------------	----------------------------

PNEC (Water)

PNEC aqua (freshwater)	0.214 µg/l
------------------------	------------

PNEC aqua (marine water)	0.0214 µg/l
--------------------------	-------------

PNEC aqua (intermittent, freshwater)	0.87 µg/l
--------------------------------------	-----------

PNEC (Sediment)

PNEC sediment (freshwater)	1692 mg/kg dwt
----------------------------	----------------

PNEC sediment (marine water)	0.1692 mg/kg dwt
------------------------------	------------------

PNEC (Soil)

PNEC soil	5 mg/kg dwt
-----------	-------------

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

PNEC (Oral)

PNEC oral (secondary poisoning)	2 mg/kg food
---------------------------------	--------------

PNEC (STP)

PNEC sewage treatment plant	1500 µg/l
-----------------------------	-----------

(Z)-N-9-octadecenyl-1,3-diaminopropane (7173-62-8)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	5.6 µg/kg bodyweight/day
--------------------------------------	--------------------------

Long-term - systemic effects, inhalation	39.5 µg/m³
--	------------

DNEL/DMEL (General population)

Long-term - systemic effects, oral	2 µg/kg bodyweight/day
------------------------------------	------------------------

Long-term - systemic effects, inhalation	6.96 µg/m³
--	------------

Long-term - systemic effects, dermal	2 µg/kg bodyweight/day
--------------------------------------	------------------------

PNEC (Water)

PNEC aqua (freshwater)	10 µg/l
------------------------	---------

PNEC aqua (marine water)	1 µg/l
--------------------------	--------

PNEC aqua (intermittent, freshwater)	1.48 µg/l
--------------------------------------	-----------

PNEC (Sediment)

PNEC sediment (freshwater)	1.72 mg/kg dwt
----------------------------	----------------

PNEC sediment (marine water)	172 µg/kg dw
------------------------------	--------------

PNEC (Soil)

PNEC soil	10 mg/kg dwt
-----------	--------------

PNEC (Oral)

PNEC oral (secondary poisoning)	89 µg/kg food
---------------------------------	---------------

PNEC (STP)

PNEC sewage treatment plant	251 µg/l
-----------------------------	----------

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	0.7 mg/kg bodyweight/day
--------------------------------------	--------------------------

Long-term - systemic effects, inhalation	4.9 mg/m³
--	-----------

DNEL/DMEL (General population)

Long-term - systemic effects, oral	0.25 mg/kg bodyweight/day
------------------------------------	---------------------------

Long-term - systemic effects, inhalation	0.74 mg/m³
--	------------

Long-term - systemic effects, dermal	0.25 mg/kg bodyweight/day
--------------------------------------	---------------------------

PNEC (Water)

PNEC aqua (freshwater)	0.84 µg/l
------------------------	-----------

PNEC aqua (marine water)	0.084 µg/l
--------------------------	------------

PNEC aqua (intermittent, freshwater)	0.827 µg/l
--------------------------------------	------------

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine

PNEC (Sediment)

PNEC sediment (freshwater)	3.19 mg/kg dwt
PNEC sediment (marine water)	0.32 mg/kg dwt

PNEC (Soil)

PNEC soil	1.59 mg/kg dwt
-----------	----------------

PNEC (STP)

PNEC sewage treatment plant	1.3 mg/l
-----------------------------	----------

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow-brown.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: ≈ -43 °C Pour point

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 200 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 32.5 mm ² /s 40°C
Solubility	: insoluble in water. Soluble in hydrocarbons.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0.843 g/cm ³ 15°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Dimantine (124-28-7)

LD50 oral rat	2116 mg/kg Source: USEPA / HPV
LD50 dermal rabbit	3432 mg/kg Source: USEPA / HPV

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	
LD50 oral rat	300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other:
Skin corrosion/irritation	: Not classified
Dimantine (124-28-7)	
pH	10.1 Source: ECHA
Serious eye damage/irritation	: Not classified
Dimantine (124-28-7)	
pH	10.1 Source: ECHA
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Dimantine (124-28-7)	
NOAEL (chronic, oral, animal/male, 2 years)	42.3 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
NOAEL (chronic, oral, animal/female, 2 years)	52.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
(Z)-N-9-octadecenyl-1,3-diaminopropane (7173-62-8)	
NOAEL (oral, rat, 90 days)	0.4 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	
NOAEL (oral, rat, 90 days)	≥ 50 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:., Remarks on results: not determinable due to absence of adverse toxic effects
Aspiration hazard	: Not classified
ORLEN OIL GEAR DCT HYBRID	
Viscosity, kinematic	32.5 mm²/s 40°C
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil— unspecified; (72623-87-1)	
Viscosity, kinematic	≈ 16 mm²/s 40°C
(Z)-N-9-octadecenyl-1,3-diaminopropane (7173-62-8)	
Viscosity, kinematic	13.08 mm²/s
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil— unspecified (72623-86-0)	
Viscosity, kinematic	< 20.5 mm²/s
Dimantine (124-28-7)	
Viscosity, kinematic	8.127 mm²/s

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.
Not rapidly degradable

2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol

LC50 - Fish [1]	0.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	0.043 mg/l Test organisms (species): Daphnia magna

(Z)-N-9-octadecenyl-1,3-diaminopropane (7173-62-8)

LC50 - Fish [1]	0.148 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
-----------------	---

Dimantine (124-28-7)

LC50 - Fish [1]	0.079 mg/l Source: NITE
LOEC (chronic)	0.108 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine

LC50 - Fish [1]	2.22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	2.14 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Dimantine (124-28-7)

Partition coefficient n-octanol/water (Log Pow)	8.39 Source: ChemIDplus
---	-------------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration

ORLEN OIL GEAR DCT HYBRID

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Aquatic Chronic 3	H412	Calculation method

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.